# Diagnosis

Diagnostic Indicators of Pathogenic Parenting

Three diagnostic indicators of AB-PA (attachment-based "parental alienation"):

- 1.) Attachment System Suppression: Termination of the child's attachment bonding motivations toward a normal-range and affectionally available parent.
- 2.) Narcissistic Personality Traits: Five specific narcissistic traits in the child's symptom display.
- 3.) **Persecutory Delusion**: The child maintains a fixed and false belief (delusion) of supposed "victimization" by the normal-range parenting of the targeted parent.

## AB-PA: Diagnostic Indicator 3

#### 3.) Persecutory Delusion

The child evidences a fixed and false belief (a delusion) that the child is supposedly being "victimized" by the normal-range parenting of the targeted-rejected parent.

This symptom represents the child being incorporated into a <u>false</u> trauma reenactment narrative of the narcissistic/(borderline) parent that is in the pattern: "abusive parent"/"victimized child"/"protective parent"

Three diagnostic indicators of AB-PA (attachment-based "parental alienation"):

- 1.) Attachment System Suppression: Pathogenic parenting.
- 2.) Narcissistic Personality Traits: Psychological fingerprints of control.
- 3.) **Persecutory Delusion**: The trauma reenactment narrative.

### Diagnostic Checklist for Pathogenic Parenting:

D	iagnos	tic Checklist for Pathogenic Parenting: Extended Version
		C.A. Childress, Psy.D. (2015)
attachmen	t-based	gnostic indicators must be present (either 2a OR 2b) for a clinical diagnosis of "parental alienation." Sub-threshold clinical presentations can be further Response to Intervention" trial.
1. Attac	hmen	t System Suppression
Present	Sub- Thresh	
		motivations toward one parent, the targeted-rejected parent, in which the child seeks to entirely terminate a relationship with this parent (i.e., a child-initiated cutoff in the child's relationship with a normal-range and affectionally available parent).
Sec	ondary	Criterion: Normal-Range Parenting:
yes	no	The parenting practices of the targeted-rejected parent are assessed to be broadly normal-range, with due consideration given to the wide spectrum of acceptable parenting that is typically displayed in normal-range families.
		Normal-range parenting includes the legitimate exercise of parental prerogatives in establishing desired family values through parental expectations for desired child behavior and normal-range discipline practices.
2(a). Pe	ersona	lity Disorder Traits
Present	Sub- Thresh	
		The child's symptoms evidence all five of the following narcissistic/(borderline) personality disorder features displayed toward the tareted-rejected parent.
	riterion M	
yes	no	Grandiosity: The child displays a grandiose perception of occupying an
		in animostry: The clinic displays a granutose per repriori or occupying an inappropriately elevated status in the family hierarchy that is above the targeted-rejected parent from which the child feels empowered to sit in judgment of the targeted-rejected parent as both a parent and as a person.
		<b>Absence of Empathy:</b> The child displays a complete absence of empathy for the emotional pain being inflicted on the targeted-rejected parent by the child's hostility and rejection of this parent.
		Entitlement: The child displays an over-empowered sense of entitlement in which the child expects that his or her desires will be met by the targeted-rejected parent the child's satisfaction, and if the rejected parent fails to meet the child's entitled expectations to the child's statisfaction then the child feels entitled to enact a retaliatory punishment on the rejected parent for the child's judgment of parental failures
		Haughty and Arrogant Attitude: The child displays an attitude of haughty arrogance and contemptuous disdain for the targeted-rejected parent.
		Splitting: The child evidences polarized extremes of attitude toward the parents, in

#### Pathogenic parenting that is creating significant

- Developmental pathology in the child (diagnostic indicator 1);
- Personality disorder pathology in the child (diagnostic indicator 2);
- Delusional-psychiatric pathology in the child (diagnostic indicator 3);

#### DSM-5 diagnosis:

V995.51 Child Psychological Abuse, Confirmed.

A confirmed DSM-5 diagnosis of V995.51 Child Psychological Abuse shifts professional and legal concerns from those of child custody and visitation to those of child protection.

### DSM-5 Diagnostic Considerations

- O Child: V995.51 Child Psychological Abuse
- Allied Parent: 300.19 Factitious Disorder Imposed on Another (persecutory delusion imposed on the child)
- O Targeted Parent: 309.81 Post-Traumatic Stress Disorder (complex trauma; traumatic grief)
- O ICD-10: F-24 Shared Psychotic Disorder
- O Intimate Partner Violence (IPV; emotional abuse of the ex-spouse using the child as the weapon)

Child: 309.4 Adjustment Disorder

V61.20 Parent-Child Relational Problem

V61.29 Child Affected by Parental Relationship Distress

V995.51 Child Psychological Abuse, Confirmed

Allied Parent R/O 300.19 Factitious Disorder Imposed on Another (persecutory delusion imposed on the child)

Targeted Parent 309.81 R/O Post-Traumatic Stress Disorder (complex trauma; traumatic grief)

# DSM-5 Diagnosis

Child: 309.4 Adjustment Disorder

V61.20 Parent-Child Relational Problem

V61.29 Child Affected by Parental Relationship Distress


V995.51 Child Psychological Abuse, Confirmed

Allied Parent R/O 300.19 Factitious Disorder Imposed on Another (persecutory delusion imposed on the child)

Targeted Parent 309.81 R/O Post-Traumatic Stress Disorder (complex trauma; traumatic grief)

Assessment leads to diagnosis, and diagnosis guides treatment.





# Diagnosis:

Complex Trauma



## Foundations:

Complex Trauma






Attachment Pathology

### Foundations:

Complex Trauma





### Complex Trauma Description:





The trans-generational transmission of attachment trauma from the childhood of an allied narcissistic/(borderline) parent to the current family relationships, mediated by the personality disorder pathology of the allied parent, that is itself a product of this parent's childhood attachment trauma.





### Neuro-Developmental Description:

The child is being used in a role-reversal relationship as a regulatory object to stabilize the fragile self-structure of an allied narcissistic/(borderline) parent which is collapsing in response to the inherent rejection and abandonment surrounding divorce; surrounding the loss of the regulating spousal attachment figure.

## Solution-Focused

Family Systems Therapy

#### Schools of Psychotherapy

- O Psychoanalytic (Freud and the couch)
- O Humanistic-Existential (self-actualization and growth)
- O Cognitive-Behavioral (lab rats and reinforcement)
- Family Systems Therapy (family relationships)


Divorce ends the marriage.

Divorce does <u>not</u> end the family.

When there are children, there will always be a family


#### Solution Focused:

#### A Healthy Separated Family Structure






## Stabilized Transition:



### Solution Focused:



The treatment focus is on creating the solution:

A healthy separated family structure - united by the shared co-parenting and shared bonds of affection of each parent with the child.